

Package ‘InteractiveComplexHeatmap’

May 14, 2024

Type Package

Title Make Interactive Complex Heatmaps

Version 1.12.0

Date 2023-08-10

Depends R (>= 4.0.0), ComplexHeatmap (>= 2.11.0)

Imports grDevices, stats, shiny, grid, GetoptLong, S4Vectors (>= 0.26.1), digest, IRanges, kableExtra (>= 1.3.1), utils, svglite, htmltools, clisymbols, jsonlite, RColorBrewer, fontawesome

Suggests knitr, rmarkdown, testthat, EnrichedHeatmap, GenomicRanges, data.table, circlize, GenomicFeatures, tidyverse, tidyHeatmap, cluster, org.Hs.eg.db, simplifyEnrichment, GO.db, SC3, GOexpress, SingleCellExperiment, scater, gplots, pheatmap, airway, DESeq2, DT, cola, BiocManager, gridtext, HilbertCurve (>= 1.21.1), shinydashboard, SummarizedExperiment, pkgndep, ks

VignetteBuilder knitr

Description This package can easily make heatmaps which are produced by the ComplexHeatmap package into interactive applications. It provides two types of interactivities:

1. on the interactive graphics device, and 2. on a Shiny app. It also provides functions for integrating the interactive heatmap widgets for more complex Shiny app development.

biocViews Software, Visualization, Sequencing

URL <https://github.com/jokergoo/InteractiveComplexHeatmap>

BugReports <https://github.com/jokergoo/InteractiveComplexHeatmap/issues>

License MIT + file LICENSE

git_url <https://git.bioconductor.org/packages/InteractiveComplexHeatmap>

git_branch RELEASE_3_19

git_last_commit db888a9

git_last_commit_date 2024-04-30

Repository Bioconductor 3.19

Date/Publication 2024-05-14

Author Zuguang Gu [aut, cre] (<<https://orcid.org/0000-0002-7395-8709>>)

Maintainer Zuguang Gu <z.gu@dkfz.de>

Contents

| | |
|---|-----------|
| all_column_indices | 2 |
| all_row_indices | 3 |
| getPositionFromBrush | 3 |
| getPositionFromClick | 4 |
| getPositionFromDbclick | 5 |
| getPositionFromHover | 5 |
| HeatmapInfoOutput | 6 |
| htPositionsOnDevice | 7 |
| htShiny | 8 |
| htShinyExample | 11 |
| ht_shiny | 11 |
| interactivate | 12 |
| interactivate.DESeqDataSet | 13 |
| interactivate.kde | 13 |
| interactivateDensity2D | 14 |
| InteractiveComplexHeatmapModal | 15 |
| InteractiveComplexHeatmapOutput | 17 |
| InteractiveComplexHeatmapWidget | 19 |
| is_in_sub_heatmap | 21 |
| makeInteractiveComplexHeatmap | 21 |
| originalHeatmapOutput | 23 |
| rand_mat | 24 |
| record_observation | 25 |
| selectArea | 26 |
| selectPosition | 27 |
| subHeatmapOutput | 28 |
| Index | 29 |

| | |
|--------------------|--|
| all_column_indices | <i>Get all column indices from the selected data frame</i> |
|--------------------|--|

Description

Get all column indices from the selected data frame

Usage

```
all_column_indices(df)
```

Arguments

df The selected data frame.

Examples

```
# There is no example
NULL
```

all_row_indices *Get all row indices from the selected data frame*

Description

Get all row indices from the selected data frame

Usage

```
all_row_indices(df)
```

Arguments

df The selected data frame.

Examples

```
# There is no example
NULL
```

getPositionFromBrush *Get the position of the brushed area on the heatmap image*

Description

Get the position of the brushed area on the heatmap image

Usage

```
getPositionFromBrush(brush, ratio = 1)
```

Arguments

brush The input brush object. Assume heatmap_brush is the ID set to argument brush in [plotOutput](#), then the value here is input\$heatmap_brush.

ratio The relative resolution. The value should be the ratio between res set in [makeInteractiveComplexHeatmap](#) and 72 (res/72).

Value

A list of length two. The two elements corresponds to the coordinates of the two diagonal points.

See Also

[getPositionFromClick](#), [getPositionFromHover](#), [getPositionFromDbclick](#).

Examples

```
# There is no example
NULL
```

`getPositionFromClick` *Get the position of clicked point on the heatmap image*

Description

Get the position of clicked point on the heatmap image

Usage

```
getPositionFromClick(click, ratio = 1)
```

Arguments

`click` The input click object. Assume `heatmap_click` is the ID set to argument `click` in [plotOutput](#), then the value here is `input$heatmap_click`.

`ratio` The relative resolution. The value should be the ratio between `res` set in [makeInteractiveComplexHeatmap](#) and 72 (`res/72`).

Value

A `unit` object of length two which are the coordinates of the clicked points.

See Also

[getPositionFromBrush](#), [getPositionFromHover](#), [getPositionFromDbclick](#).

Examples

```
# There is no example
NULL
```

`getPositionFromDbclick`*Get the position of double clicked point on the heatmap image*

Description

Get the position of double clicked point on the heatmap image

Usage

```
getPositionFromDbclick(dblclick, ratio = 1)
```

Arguments

| | |
|-----------------------|---|
| <code>dblclick</code> | The input <code>dblclick</code> object. Assume <code>heatmap_dblclick</code> is the ID set to argument <code>dblclick</code> in <code>plotOutput</code> , then the value here is <code>input\$heatmap_dblclick</code> . |
| <code>ratio</code> | The relative resolution. The value should be the ratio between <code>res</code> set in <code>makeInteractiveComplexHeatmap</code> and 72 (<code>res/72</code>). |

Value

A `unit` object of length two which are the coordinates of the double clicked points.

Examples

```
# There is no example  
NULL
```

`getPositionFromHover` *Get the position of hovered point on the heatmap image*

Description

Get the position of hovered point on the heatmap image

Usage

```
getPositionFromHover(hover, ratio = 1)
```

Arguments

| | |
|--------------------|---|
| <code>hover</code> | The input <code>hover</code> object. Assume <code>heatmap_hover</code> is the ID set to argument <code>hover</code> in <code>plotOutput</code> , then the value here is <code>input\$heatmap_hover</code> . |
| <code>ratio</code> | The relative resolution. The value should be the ratio between <code>res</code> set in <code>makeInteractiveComplexHeatmap</code> and 72 (<code>res/72</code>). |

Value

A `unit` object of length two which are the coordinates of the hover points.

Examples

```
# There is no example
NULL
```

| | |
|-------------------|--------------------------|
| HeatmapInfoOutput | <i>UI for the output</i> |
|-------------------|--------------------------|

Description

UI for the output

Usage

```
HeatmapInfoOutput(heatmap_id, title = NULL, width = 400,
  output_ui = default_output_ui(heatmap_id),
  output_ui_float = FALSE, action = NULL, response = NULL, internal = FALSE)
```

Arguments

| | |
|------------------------------|---|
| <code>heatmap_id</code> | ID of the plot. |
| <code>title</code> | Title of the output. |
| <code>width</code> | Width of the output div. |
| <code>output_ui</code> | A htmlOutput or other <code>*Output</code> object (defined in shiny or other related packages). |
| <code>output_ui_float</code> | Whether the UI defined by <code>output_ui</code> floats at the mouse positions. |
| <code>action</code> | It is only used when <code>output_ui_float = TRUE</code> to properly bind the floating frame to the event on heatmap (i.e. click, hover or dblclick). If HeatmapInfoOutput is executed after originalHeatmapOutput , the value for it is automatically decided |
| <code>response</code> | It is only used when <code>output_ui_float = TRUE</code> and <code>response = "brush"</code> or <code>response = "brush-output"</code> , so that single clicking or hovering won't have any effect, in other word, there is only response from brushing. If HeatmapInfoOutput is executed after originalHeatmapOutput , the value for it is automatically decided |
| <code>internal</code> | Internally used. |

See Also

[originalHeatmapOutput](#), [subHeatmapOutput](#).

Examples

```
# See examples on the help page of originalHeatmapOutput()
```

```
htPositionsOnDevice    Get heatmap positions on the graphics device
```

Description

Get heatmap positions on the graphics device

Usage

```
htPositionsOnDevice(ht_list = get_last_ht(), unit = "inch", valueOnly = FALSE,
  include_annotation = FALSE, calibrate = TRUE)
```

Arguments

| | |
|--------------------|---|
| ht_list | A HeatmapList-class object returned by draw, Heatmap-method or draw, HeatmapList-method . If it is omitted, it uses the last generated heatmap. |
| unit | The unit. |
| valueOnly | Whether only return the numeric values. |
| include_annotation | Internally used. |
| calibrate | Internally used. |

Details

ht_list must have been already updated by draw() function. The function needs to be executed under a graphics device where the heatmap is written.

Value

It returns a [DataFrame](#) object of the position of every heatmap slice.

Examples

```
if(dev.interactive()) {
  m = matrix(rnorm(100), 10)
  ht = Heatmap(m, row_km = 2, column_km = 2)
  ht = draw(ht)
  pos = htPositionsOnDevice(ht)

  InteractiveComplexHeatmap:::redraw_ht_vp(pos)
}
```

Description

Interactive heatmaps as a Shiny app

Usage

```
htShiny(ht_list = get_last_ht(), title = NULL,
        description = NULL, hline = TRUE, html = NULL,

        # parameters passed to InteractiveComplexHeatmapOutput()
heatmap_id = NULL, title1 = "Original heatmap", title2 = "Selected sub-heatmap",
width1 = ifelse(layout == "1|(2-3)", 800, 450),
height1 = ifelse(layout == "1-(2|3)", 700, 350),
width2 = 400,
height2 = 350,
width3 = ifelse(layout == "(1-2)|3", 800, 400),
layout = ifelse("brush" %in% response, "(1-2)|3", "1-3"), compact = FALSE,
action = "click", cursor = TRUE, response = c(action, "brush"),
brush_opt = list(stroke = "#f00", opacity = 0.6),
output_ui_float = FALSE,

# specific for sub-heatmap
show_cell_fun = TRUE, show_layer_fun = TRUE,

save = NULL, app_options = list())
```

Arguments

| | |
|-------------|---|
| ht_list | A Heatmap-class or a HeatmapList-class object. If it is not specified, the last generated heatmap is used. The heatmap object should better be already updated by <code>draw()</code> function. |
| title | Title of the app. |
| description | Description of the app. The content will be wrapped by a <code>p</code> tag and inserted before the interactive heatmap widget. |
| hline | Whether to add the horizontal line (by <code>hr</code> tag) after description. |
| html | HTML fragment inserted below the heatmap. The value can be a string or be wrapped by HTML . |
| heatmap_id | Pass to InteractiveComplexHeatmapOutput . |
| title1 | Pass to InteractiveComplexHeatmapOutput . |
| title2 | Pass to InteractiveComplexHeatmapOutput . |
| width1 | Pass to InteractiveComplexHeatmapOutput . |

| | |
|-----------------|--|
| height1 | Pass to InteractiveComplexHeatmapOutput . |
| width2 | Pass to InteractiveComplexHeatmapOutput . |
| height2 | Pass to InteractiveComplexHeatmapOutput . |
| width3 | Pass to InteractiveComplexHeatmapOutput . |
| layout | Pass to InteractiveComplexHeatmapOutput . |
| compact | Pass to InteractiveComplexHeatmapOutput . |
| action | Pass to InteractiveComplexHeatmapOutput . |
| cursor | Pass to InteractiveComplexHeatmapOutput . |
| response | Pass to InteractiveComplexHeatmapOutput . |
| brush_opt | Pass to InteractiveComplexHeatmapOutput . |
| output_ui_float | Pass to InteractiveComplexHeatmapOutput . |
| show_cell_fun | Whether show graphics made by cell_fun on the main heatmap? |
| show_layer_fun | Whether show graphics made by cell_fun on the main heatmap? |
| save | The value can be set to a folder name so that the shiny app is saved into several files. |
| app_options | All pass to the options argument in shinyApp . |

Details

With any Heatmap/HeatmapList object, directly send to htShiny() to create a Shiny app for the heatmap(s):

```
htShiny(ht_list)
```

If the heatmaps are already drawn, ht_list can be omitted and the last heatmap object is retrieved automatically:

```
Heatmap(...) + other_heatmaps_or_annotations # or other functions that internally use Heatmap()
htShiny()
```

Value

A Shiny app object.

See Also

- https://jokergoo.shinyapps.io/interactive_complexheatmap/
- https://jokergoo.shinyapps.io/interactive_complexheatmap_vertical/
- https://jokergoo.shinyapps.io/interactive_densityheatmap/
- https://jokergoo.shinyapps.io/interactive_oncoprint/
- https://jokergoo.shinyapps.io/interactive_enrichedheatmap/
- https://jokergoo.shinyapps.io/interactive_upsetp/

- https://jokergooo.shinyapps.io/interactive_pheatmap/
- https://jokergooo.shinyapps.io/interactive_heatmap/
- https://jokergooo.shinyapps.io/interactive_heatmap_2/
- https://jokergooo.shinyapps.io/interactive_tidyheatmap/

There are also many examples that can be get with [htShinyExample](#).

Examples

```
# use last generated heatmap
if(interactive() && dev.interactive()) {
  m = matrix(rnorm(100), 10)
  Heatmap(m)
  htShiny()
}

# by providing a heatmap/heatmap list
if(interactive()) {
  m = matrix(rnorm(100), 10)
  rownames(m) = 1:10
  colnames(m) = 1:10

  ht = Heatmap(m)
  ht = draw(ht)
  htShiny(ht)
}

# vertical heatmap list
if(interactive()) {
  m1 = matrix(rnorm(100), 10)
  rownames(m1) = 1:10
  colnames(m1) = 1:10
  ht1 = Heatmap(m1, row_km = 2, column_km = 2)

  m2 = matrix(sample(letters[1:10], 100, replace = TRUE), 10)
  ht2 = Heatmap(m2)

  ht_list = draw(ht1 + ht2)
  htShiny(ht_list)

  ht_list = ht1 %v% ht2
  htShiny(ht_list)
}

# compact mode
if(interactive()) {
  m = matrix(rnorm(100), 10)
  Heatmap(m)
  htShiny(compact = TRUE)
}
```

| | |
|----------------|---|
| htShinyExample | <i>Examples of interactive complex heatmaps</i> |
|----------------|---|

Description

Examples of interactive complex heatmaps

Usage

```
htShinyExample(which)
```

Arguments

`which` An index of which example to use. The list of all examples can be obtained by executing `htShinyExample` with no argument.

Details

In every example, there is a Shiny app opened, which also includes source code that generates this app.

Value

A Shiny app object.

Examples

```
# list all examples
htShinyExample()

if(interactive()) {
  htShinyExample(4.2)
}
```

| | |
|----------|--|
| ht_shiny | <i>Interactive heatmaps as a Shiny app</i> |
|----------|--|

Description

Interactive heatmaps as a Shiny app

Usage

```
ht_shiny(...)
```

Arguments

... All goes to [htShiny](#).

Value

A Shiny app object.

Examples

```
# There is no example  
NULL
```

| | |
|---------------|---|
| interactivate | <i>Generic function for interactivate an object in an interactive Shiny app</i> |
|---------------|---|

Description

Generic function for interactivate an object in an interactive Shiny app

Usage

```
interactivate(x, ...)
```

Arguments

x An object.
... Other arguments.

Examples

```
# There is no example  
NULL
```

interactivate.DESeqDataSet

Visualize DESeq2 result in an interactive Shiny app

Description

Visualize DESeq2 result in an interactive Shiny app

Usage

```
## S3 method for class 'DESeqDataSet'
interactivate(x, res = DESeq2::results(x), seed = 123, ...)
```

Arguments

| | |
|------|---|
| x | A DESeqDataSet class object. It is normally returned by DESeq . |
| res | The object returned by results . |
| seed | Random seed. It is mainly set for the random colors of annotations. |
| ... | Other arguments. |

Examples

```
if(interactive()) {
  require(airway)
  data(airway)
  se = airway

  require(DESeq2)
  dds = DESeqDataSet(se, design = ~ dex)
  keep = rowSums(counts(dds)) >= 10
  dds = dds[keep, ]
  dds$dex = relevel(dds$dex, ref = "untrt")
  dds = DESeq(dds)

  interactivate(dds)
}
```

interactivate.kde

Interactive Shiny application for 2D density distribution

Description

Interactive Shiny application for 2D density distribution

Usage

```
## S3 method for class 'kde'  
interactivate(x, ...)
```

Arguments

x a kde object generated by [kde](#).
... Other arguments.

Examples

```
if(interactive()) {  
  require(ks)  
  lt = readRDS(system.file("extdata", "2d_density_xy.rds", package = "InteractiveComplexHeatmap"))  
  data = cbind(lt$x, lt$y)  
  fit = kde(data)  
  interactivate(fit)  
}
```

interactivateDensity2D

Interactive Shiny application for 2D density distribution

Description

Interactive Shiny application for 2D density distribution

Usage

```
interactivateDensity2D(x, y, ...)
```

Arguments

x A numeric vector.
y A numeric vector.
... All pass to [kde](#).

Examples

```
if(interactive()) {  
  lt = readRDS(system.file("extdata", "2d_density_xy.rds", package = "InteractiveComplexHeatmap"))  
  interactivateDensity2D(lt$x, lt$y)  
}
```

 InteractiveComplexHeatmapModal

Interactive complex heatmap modal dialog

Description

Interactive complex heatmap modal dialog

Usage

```
InteractiveComplexHeatmapModal(
  input, output, session, ht_list, heatmap_id = NULL,

  # parameters passed to InteractiveComplexHeatmapOutput()
  title1 = "Original heatmap", title2 = "Selected sub-heatmap",
  width1 = ifelse(layout == "1|(2-3)", 800, 450),
  height1 = ifelse(layout == "1-(2|3)", 700, 350),
  width2 = 370,
  height2 = 350,
  width3 = ifelse(layout == "(1-2)|3", 800, 370),
  layout = ifelse("brush" %in% response, "(1-2)|3", "1-3"), compact = FALSE,
  action = "click", cursor = TRUE, response = c(action, "brush"),
  brush_opt = list(stroke = "#f00", opacity = 0.6),
  output_ui = TRUE, output_ui_float = FALSE,

  # parameters passed to makeInteractiveComplexHeatmap()
  click_action = NULL, brush_action = NULL,

  # other configurations
  js_code = "", close_button = TRUE, cancel_action = c("remove", "hide"))
```

Arguments

| | |
|------------|--|
| input | Passed from the Shiny server function. |
| output | Passed from the Shiny server function. |
| session | Passed from the Shiny server function. |
| ht_list | A Heatmap-class or a HeatmapList-class object. |
| heatmap_id | ID of the plot. If it is not specified, an internal ID is assigned. |
| title1 | Pass to InteractiveComplexHeatmapOutput . |
| title2 | Pass to InteractiveComplexHeatmapOutput . |
| width1 | Pass to InteractiveComplexHeatmapOutput . |
| height1 | Pass to InteractiveComplexHeatmapOutput . |
| width2 | Pass to InteractiveComplexHeatmapOutput . |
| height2 | Pass to InteractiveComplexHeatmapOutput . |

| | |
|-----------------|---|
| width3 | Pass to InteractiveComplexHeatmapOutput . |
| layout | Pass to InteractiveComplexHeatmapOutput . |
| compact | Pass to InteractiveComplexHeatmapOutput . |
| action | Pass to InteractiveComplexHeatmapOutput . |
| cursor | Pass to InteractiveComplexHeatmapOutput . |
| response | Pass to InteractiveComplexHeatmapOutput . |
| brush_opt | Pass to InteractiveComplexHeatmapOutput . |
| output_ui | Pass to InteractiveComplexHeatmapOutput . |
| output_ui_float | Pass to InteractiveComplexHeatmapOutput . |
| click_action | Pass to makeInteractiveComplexHeatmap . |
| brush_action | Pass to makeInteractiveComplexHeatmap . |
| js_code | Additional JavaScript code that is put after the interactive heatmap UI. The value can be a text or a function that takes "heatmap ID" as the argument and returns the formatted JavaScript code. |
| close_button | Whether to add a close button at the end of the widget. If it is FALSE, the widget can be closed by clicking outside of the widget. |
| cancel_action | Whether to remove the UI from HTML or just hide it when the UI is closed. |

Details

It creates an interactive heatmap "modal dialog" according to a certain action.

The function is normally put inside [observe](#) or [observeEvent](#).

Value

No value is returned.

Examples

```
if(interactive()) {
  require(ComplexHeatmap)

  ui = fluidPage(
    actionButton("show_heatmap", "Generate_heatmap"),
  )

  server = function(input, output, session) {
    m = matrix(rnorm(100), 10)
    ht = Heatmap(m)

    observeEvent(input$show_heatmap, {
      InteractiveComplexHeatmapModal(input, output, session, ht)
    })
  }
  shiny::shinyApp(ui, server)
}
```

 InteractiveComplexHeatmapOutput

UI for the interactive complex heatmaps

Description

UI for the interactive complex heatmaps

Usage

```
InteractiveComplexHeatmapOutput(heatmap_id = NULL,
  title1 = "Original heatmap", title2 = "Selected sub-heatmap",
  title3 = if(output_ui_float) NULL else "Output",
  width1 = ifelse(layout == "1|(2-3)", 800, 450),
  height1 = ifelse(layout == "1-(2|3)", 700, 350),
  width2 = 400,
  height2 = 350,
  width3 = NULL,
  layout = ifelse("brush" %in% response, "(1-2)|3", "1-3"), compact = FALSE,
  action = "click", cursor = TRUE,
  response = c(action, "brush"),
  brush_opt = list(stroke = "#f00", opacity = 0.6),
  output_ui = default_output_ui(heatmap_id),
  output_ui_float = FALSE, containment = FALSE,
  internal = FALSE,
  ...)
```

Arguments

| | |
|------------|--|
| heatmap_id | ID of the plot. If it is not specified, an internal ID is assigned. |
| title1 | Title of the original heatmap. |
| title2 | Title of the sub-heatmap. |
| title3 | Title of the output. |
| width1 | Width of the original heatmap. |
| height1 | Height of the original heatmap. |
| width2 | Width of the sub-heatmap. |
| height2 | Height of the sub-heatmap. |
| width3 | Width of the output div. |
| layout | One of "1 2)-3", "1-(2 3)", "1-2-3", "1 2 3", "1 (2-3)". If brush is not set with the argument response, which means there is no sub-heatmap panel, the code 2 can be omitted. |
| compact | If the value is TRUE, there will be no sub-heatmap, and output floats at the mouse position when click/hover on the original heatmap. |

| | |
|-----------------|---|
| action | Which action for selecting single cells on the heatmap? Value should be <code>click</code> , <code>hover</code> or <code>dblclick</code> . |
| cursor | When moving mouse on heatmap, whether to show the cursors on the four sides? |
| response | Which action needs to be responded on the server side? Value should be in <code>click/hover/dblclick</code> , <code>brush</code> and <code>brush-output</code> . <code>brush</code> responds in two places which are the sub-heatmap and the output components and <code>brush-output</code> only responds in the output component. |
| brush_opt | A list of parameters passed to <code>brushOpts</code> . Do not set an ID for the brush. An internal brush ID is automatically set. |
| output_ui | A <code>htmlOutput</code> or other <code>*Output</code> object (defined in <code>shiny</code> or other related packages). If it is set to <code>NULL</code> , there is no output component in the app. |
| output_ui_float | Whether the UI defined by <code>output_ui</code> floats at the mouse positions. |
| containment | Whether the resizing is restricted in a certain parent div? Value can be <code>TRUE/FALSE</code> or a JQuery selector. |
| internal | Internally used. |
| ... | Pass to the UI container which is wrapped by <code>fluidPage</code> . |

Details

This function generates HTML fragment for the interactive UI. See the example in [makeInteractiveComplexHeatmap](#) page.

layout is defined as follows (1 for the original heatmap, 2 for the selected sub-heatmap and 3 is for the output:

- "(1-2) | 3": Heatmap and sub-heatmap are in a same row, and output is in a second row. This is the default layout.
- "1 | (2-3)": Heatmap is in a single row, while sub-heatmap and output are in a second row.
- "1-2-3": All three components are in a same row.
- "1 | 2 | 3": Each component is in a single row.
- "1-(2 | 3)": Being different from the other four layouts, this is a two-column layout. Heatmap is in a single column. Sub-heatmap and output are vertically aligned and the two are in the second column.

The hover event is implemented with <https://github.com/websanova/mousestop>.

Value

A UI that can be used in Shiny.

Examples

```
# There is no example
NULL
```

InteractiveComplexHeatmapWidget
Interactive complex heatmap widget

Description

Interactive complex heatmap widget

Usage

```
InteractiveComplexHeatmapWidget(
  input, output, session, ht_list, heatmap_id = NULL, output_id,

  # parameters passed to InteractiveComplexHeatmapOutput()
  title1 = "Original heatmap", title2 = "Selected sub-heatmap",
  width1 = ifelse(layout == "1|(2-3)", 800, 450),
  height1 = ifelse(layout == "1-(2|3)", 700, 350),
  width2 = 370,
  height2 = 350,
  width3 = ifelse(layout == "(1-2)|3", 800, 370),
  layout = ifelse("brush" %in% response, "(1-2)|3", "1-3"), compact = FALSE,
  action = "click", cursor = TRUE, response = c(action, "brush"),
  brush_opt = list(stroke = "#f00", opacity = 0.6),
  output_ui = TRUE, output_ui_float = FALSE,

  # parameters passed to makeInteractiveComplexHeatmap()
  click_action = NULL, brush_action = NULL,

  # other configurations
  js_code = "", close_button = TRUE, cancel_action = c("remove", "hide"))
```

Arguments

| | |
|------------|--|
| input | Passed from the Shiny server function. |
| output | Passed from the Shiny server function. |
| session | Passed from the Shiny server function. |
| ht_list | A Heatmap-class or a HeatmapList-class object. |
| heatmap_id | ID of the plot. If it is not specified, an internal ID is assigned. |
| output_id | Where the heatmap is put. |
| title1 | Pass to InteractiveComplexHeatmapOutput . |
| title2 | Pass to InteractiveComplexHeatmapOutput . |
| width1 | Pass to InteractiveComplexHeatmapOutput . |
| height1 | Pass to InteractiveComplexHeatmapOutput . |
| width2 | Pass to InteractiveComplexHeatmapOutput . |

| | |
|-----------------|---|
| height2 | Pass to InteractiveComplexHeatmapOutput . |
| width3 | Pass to InteractiveComplexHeatmapOutput . |
| layout | Pass to InteractiveComplexHeatmapOutput . |
| compact | Pass to InteractiveComplexHeatmapOutput . |
| action | Pass to InteractiveComplexHeatmapOutput . |
| cursor | Pass to InteractiveComplexHeatmapOutput . |
| response | Pass to InteractiveComplexHeatmapOutput . |
| brush_opt | Pass to InteractiveComplexHeatmapOutput . |
| output_ui | Pass to InteractiveComplexHeatmapOutput . |
| output_ui_float | Pass to InteractiveComplexHeatmapOutput . |
| click_action | Pass to makeInteractiveComplexHeatmap . |
| brush_action | Pass to makeInteractiveComplexHeatmap . |
| js_code | Additional JavaScript code that is put after the interactive heatmap UI. The value can be a text or a function that takes "heatmap ID" as the argument and returns the formatted JavaScript code. |
| close_button | Whether to add a close button at the end of the widget. |
| cancel_action | Whether to remove the UI from HTML or just hide it when the UI is closed. |

Details

It creates an interactive heatmap widget according to a certain action. The UI is placed to the output ID that user defined.

The function is normally put inside [observe](#) or [observeEvent](#).

Value

No value is returned.

Examples

```
if(interactive()) {
  require(ComplexHeatmap)

  ui = fluidPage(
    actionButton("show_heatmap", "Generate_heatmap"),
    htmlOutput("heatmap_output")
  )

  server = function(input, output, session) {
    m = matrix(rnorm(100), 10)
    ht = Heatmap(m)

    observeEvent(input$show_heatmap, {
      InteractiveComplexHeatmapWidget(input, output, session, ht,
        output_id = "heatmap_output")
    })
  }
}
```

```
    })  
  }  
  shiny::shinyApp(ui, server)  
}
```

is_in_sub_heatmap *Test whether it is in sub heatmap*

Description

Test whether it is in sub heatmap

Usage

```
is_in_sub_heatmap()
```

Details

Normally, it is used in cell_fun/layer_fun.

Examples

```
# There is no example  
NULL
```

makeInteractiveComplexHeatmap
Process heatmaps on the sever side

Description

Process heatmaps on the sever side

Usage

```
makeInteractiveComplexHeatmap(input, output, session, ht_list,  
  heatmap_id = shiny_env$current_heatmap_id,  
  click_action = NULL, hover_action = NULL,  
  dblclick_action = NULL, brush_action = NULL, res = 72,  
  show_cell_fun = TRUE, show_layer_fun = TRUE)
```

Arguments

| | |
|-----------------|---|
| input | Passed from the Shiny server function. |
| output | Passed from the Shiny server function. |
| session | Passed from the Shiny server function. |
| ht_list | A Heatmap-class or a HeatmapList-class object. |
| heatmap_id | The corresponding heatmap ID from the UI. If there is only one interactive heatmap in the app, this argument does not need to be specified and it will use the current one used in InteractiveComplexHeatmapOutput . |
| click_action | Additional actions on the server side when receiving a click event on the UI. This self-defined function should accept two or four arguments. If it is two arguments, they should be df and output and if it is four arguments, they should be df, input, output and session. |
| hover_action | Additional actions at the server side when receiving a hover event on the UI. |
| dblclick_action | Additional actions at the server side when receiving a dblclick event on the UI. |
| brush_action | Additional actions at the server side when receiving a brush event on the UI. |
| res | Resolution of the plot, pass to renderPlot . |
| show_cell_fun | Whether show graphics made by cell_fun on the main heatmap? |
| show_layer_fun | Whether show graphics made by cell_fun on the main heatmap? |

Value

No value is returned.

Examples

```

if(interactive()) {
  ht = Heatmap(m)
  ht = draw(ht)

  ui = fluidPage(
    InteractiveComplexHeatmapOutput()
  )

  server = function(input, output, session) {
    makeInteractiveComplexHeatmap(input, output, session, ht)
  }

  shiny::shinyApp(ui, server)
}

```

originalHeatmapOutput *UI for the original heatmap*

Description

UI for the original heatmap

Usage

```
originalHeatmapOutput(heatmap_id, title = NULL,
  width = 450, height = 350,
  action = "click", cursor = TRUE,
  response = c(action, "brush"),
  brush_opt = list(stroke = "#f00", opacity = 0.6),
  containment = FALSE, internal = FALSE)
```

Arguments

| | |
|-------------|--|
| heatmap_id | ID of the plot. |
| title | Title of the original heatmap. |
| width | Width of the original heatmap. |
| height | Height of the original heatmap. |
| action | Which action for selecting single cells on the heatmap? Value should be click, hover or dblclick. |
| cursor | When moving mouse on heatmap, whether to show the cursors on the four sides? |
| response | Which action needs to be responded on the server side? Value should be in click/hover/dblclick, brush and brush-output. brush responds in two places which are the sub-heatmap and the output components and brush-output only responds in the output component. |
| brush_opt | A list of parameters passed to brushOpts . Do not set an ID for the brush. An internal brush ID is automatically set. |
| containment | Whether the resizing is restricted in a certain parent div? Value can be TRUE/FALSE or a JQuery selector. |
| internal | Internally used. |

See Also

[subHeatmapOutput](#), [HeatmapInfoOutput](#).

Examples

```

if(interactive()) {
  require(shinydashboard)
  m = matrix(rnorm(100), 10)
  ht = Heatmap(m)

  body = dashboardBody(
    fluidRow(
      box(title = "Original heatmap", width = 4, solidHeader = TRUE, status = "primary",
          originalHeatmapOutput("ht")
      ),
      box(title = "Sub-heatmap", width = 4, solidHeader = TRUE, status = "primary",
          subHeatmapOutput("ht")
      ),
      box(title = "Output", width = 4, solidHeader = TRUE, status = "primary",
          HeatmapInfoOutput("ht")
      )
    )
  )
  ui = dashboardPage(
    dashboardHeader(),
    dashboardSidebar(),
    body
  )
  server = function(input, output, session) {
    makeInteractiveComplexHeatmap(input, output, session, ht, "ht")
  }
  shinyApp(ui, server)
}

```

rand_mat

A random matrix

Description

A random matrix

Usage

```
data(rand_mat)
```

Details

Following code was used to generate rand_mat:

```

set.seed(123)
rand_mat = cbind(rbind(matrix(rnorm(20*20, mean = 1, sd = 0.5), nr = 20),
                          matrix(rnorm(20*20, mean = 0, sd = 0.5), nr = 20),
                          matrix(rnorm(20*20, mean = 0, sd = 0.5), nr = 20)),

```



```
      rbind(matrix(rnorm(20*20, mean = 0, sd = 0.5), nr = 20),
            matrix(rnorm(20*20, mean = 1, sd = 0.5), nr = 20),
            matrix(rnorm(20*20, mean = 0, sd = 0.5), nr = 20)),
      rbind(matrix(rnorm(20*20, mean = 0.5, sd = 0.5), nr = 20),
            matrix(rnorm(20*20, mean = 0.5, sd = 0.5), nr = 20),
            matrix(rnorm(20*20, mean = 1, sd = 0.5), nr = 20))
    ) + matrix(rnorm(60*60, sd = 0.5), nr = 60)
  colnames(rand_mat) = paste0("C", 1:60)
  rownames(rand_mat) = paste0("R", 1:60)
```

Author(s)

Zuguang Gu <z.gu@dkfz.de>

Examples

```
data(rand_mat)
rand_mat
```

| | |
|--------------------|--------------------------------------|
| record_observation | <i>Record the observation object</i> |
|--------------------|--------------------------------------|

Description

Record the observation object

Usage

```
record_observation(obs, heatmap_id = shiny_env$current_heatmap_id)
```

Arguments

| | |
|------------|--|
| obs | Observation object returned by observe or observeEvent . |
| heatmap_id | The Heatmap ID. |

Examples

```
# There is no example
NULL
```

| | |
|------------|--------------------------------------|
| selectArea | <i>Select an area in the heatmap</i> |
|------------|--------------------------------------|

Description

Select an area in the heatmap

Usage

```
selectArea(ht_list = get_last_ht(), pos1 = NULL, pos2 = NULL, mark = TRUE, verbose = TRUE,
           ht_pos = NULL, include_annotation = FALSE, calibrate = TRUE)
```

Arguments

| | |
|--------------------|--|
| ht_list | A HeatmapList-class object returned by draw, Heatmap-method or draw, HeatmapList-method . If it is omitted, it uses the last generated heatmap. |
| mark | Whether to mark the selected area as a rectangle. |
| pos1 | If the value is NULL, it can be selected by click on the heatmap (of course, the heatmap should be on the interactive graphics device). If it is set, it must be a unit object with length two which corresponds to the x and y position of the point. |
| pos2 | Another point as pos1, together with pos1 defines the selected region. |
| verbose | Whether to print messages. |
| ht_pos | A value returned by htPositionsOnDevice . |
| include_annotation | Internally used. |
| calibrate | Internally used. Mainly works for Rstudio desktop IDE. |

Details

The regions can be selected interactively or selected manually by setting pos1 and pos2.

Value

A [DataFrame](#) object with row indices and column indices corresponding to the selected region.

Examples

```
if(dev.interactive()) {
  m = matrix(rnorm(100), 10)
  rownames(m) = 1:10
  colnames(m) = 1:10

  ht = Heatmap(m)
  ht = draw(ht)
  selectArea(ht)
```

```

    set.seed(123)
    ht = Heatmap(m, row_km = 2, column_km = 2)
    ht = draw(ht)
    selectArea(ht)
  }

```

| | |
|----------------|---|
| selectPosition | <i>Select a position in the heatmap</i> |
|----------------|---|

Description

Select a position in the heatmap

Usage

```

selectPosition(ht_list = get_last_ht(), pos = NULL, mark = TRUE, verbose = TRUE,
              ht_pos = NULL, calibrate = TRUE)

```

Arguments

| | |
|-----------|--|
| ht_list | A HeatmapList-class object returned by draw, Heatmap-method or draw, HeatmapList-method . If it is omitted, it uses the last generated heatmap. |
| mark | Whether to mark the selected position as a point. |
| pos | If the value is NULL, it can be selected by click on the heatmap (of course, the heatmap should be on the interactive graphics device). If it is set, it must be a unit object with length two which corresponds to the x and y position of the point. |
| verbose | Whether to print messages. |
| ht_pos | A value returned by htPositionsOnDevice . |
| calibrate | Internally used. Mainly works for Rstudio desktop IDE. |

Details

The regions can be selected interactively or selected manually by setting pos.

Value

A [DataFrame](#) object with row indices and column indices corresponding to the selected position.

Examples

```
if(dev.interactive()) {  
  m = matrix(rnorm(100), 10)  
  rownames(m) = 1:10  
  colnames(m) = 1:10  
  
  ht = Heatmap(m)  
  ht = draw(ht)  
  selectPosition(ht)  
}
```

| | |
|------------------|--------------------------------|
| subHeatmapOutput | <i>UI for the sub-heatmaps</i> |
|------------------|--------------------------------|

Description

UI for the sub-heatmaps

Usage

```
subHeatmapOutput(heatmap_id, title = NULL,  
  width = 400, height = 350, containment = FALSE, internal = FALSE)
```

Arguments

| | |
|-------------|---|
| heatmap_id | ID of the plot. |
| title | Title of the sub-heatmap. |
| width | Width of the sub-heatmap. |
| height | Height of the sub-heatmap. |
| containment | Whether the resizing is restricted in a certain parent div? Value can be TRUE/FALSE or a JQuery selector. |
| internal | Internally used. |

See Also

[originalHeatmapOutput](#).

Examples

```
# See examples on the help page of originalHeatmapOutput()
```

Index

all_column_indices, [2](#)
all_row_indices, [3](#)

brushOpts, [18](#), [23](#)

DataFrame, [7](#), [26](#), [27](#)
DESeq, [13](#)
DESeqDataSet, [13](#)

fluidPage, [18](#)

getPositionFromBrush, [3](#), [4](#)
getPositionFromClick, [4](#), [4](#)
getPositionFromDblclick, [4](#), [5](#)
getPositionFromHover, [4](#), [5](#)

HeatmapInfoOutput, [6](#), [6](#), [23](#)
ht_shiny, [11](#)
HTML, [8](#)
htmlOutput, [6](#), [18](#)
htPositionsOnDevice, [7](#), [26](#), [27](#)
htShiny, [8](#), [12](#)
htShinyExample, [10](#), [11](#), [11](#)

interactivate, [12](#)
interactivate.DESeqDataSet, [13](#)
interactivate.kde, [13](#)
interactivateDensity2D, [14](#)
InteractiveComplexHeatmapModal, [15](#)
InteractiveComplexHeatmapOutput, [8](#), [9](#),
[15](#), [16](#), [17](#), [19](#), [20](#), [22](#)
InteractiveComplexHeatmapWidget, [19](#)
is_in_sub_heatmap, [21](#)

kde, [14](#)

makeInteractiveComplexHeatmap, [3–5](#), [16](#),
[18](#), [20](#), [21](#)

observe, [16](#), [20](#), [25](#)
observeEvent, [16](#), [20](#), [25](#)

originalHeatmapOutput, [6](#), [23](#), [28](#)

plotOutput, [3–5](#)

rand_mat, [24](#)
record_observation, [25](#)
renderPlot, [22](#)
results, [13](#)

selectArea, [26](#)
selectPosition, [27](#)
shinyApp, [9](#)
subHeatmapOutput, [6](#), [23](#), [28](#)

unit, [4–6](#), [26](#), [27](#)